


Technical Data



AMBERKLENE FE10 FAST DRYING CLEANING SOLVENT



AMBERKLENE FE10 is a fast evaporating solvent blend which contains **no CFCs or other chlorinated solvents**. It is an ideal alternative to 1,1,1 Trichloroethane.



APPLICATIONS

A highly effective degreasing agent for all hydrocarbon soiling, including oil, grease, tar and bitumen. For use in numerous industries including; where a fast and effective cleaning solvent is required.

- Office Equipment
- Moulding
- Printing
- Marine
- Light and Heavy Engineering
- PCBs and Electronics
- Automotive
- Agriculture
- Electric Motors
- Textiles
- Offshore
- Aviation

Efficiently cleans plastics, ferrous and non-ferrous metals, evaporating quickly to leave a clean, dry surface. Also recommended for spot removal in the textiles and associated industries.

N.B. May affect certain plastics. Always test a small, inconspicuous area before general use. Ensure electrical equipment is switched off before cleaning.

TECHNICAL DATA

Appearance	:	Clear, colourless liquid
Odour	:	Mild and sweet
Specifications/Approvals	:	NATO Catalogue No. 6850-99-6636478
SG @ 25°C	:	0.770
Pressure @ 25°C	:	5 - 6 Bar
Discharge rate	:	2.5 g/sec
Kb value	:	75

Initial boiling point	:	64°C
Freezing point	:	Below -50°C
Evaporation rate	:	6.0 (with respect to Butyl Acetate)
Flammability	:	Classified as extremely flammable under Current EC Regulations
Flashpoint		-18°C (Bulk)
Packaging	:	400 ml aerosol (12 per carton). Also available in non-aerosol, packed in 5 and 25 litres

STORAGE

The product may be stored at normal ambient temperatures and has a shelf life of not less than 72 months with correct storage. Aerosols should always be stored below 50°C, away from direct heat and naked flame.

HEALTH AND SAFETY

Health and Safety sheet available separately.

TECHNICAL SERVICE

CRC Industries UK Ltd provides a technical support service and maintains a constant programme of research and development. We are able to assist customers by specific product development to meet particular requirements.

MISREPRESENTATION ACT 1967 TRADE DESCRIPTIONS ACT 1968

The information given in this publication is based on our experience and reports from customers. There are many factors outside our control and knowledge which affect the use and performance of our products and for which reason no warranty is given, express or implied. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purposes. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.