


12mm Recov. \emptyset d max. Heatshrink Sleeving HS1903

Heatshrink Sleeving, Article number: 857-40146



 Images (1)



Features

- Available in 3 diameters and lengths to suit all port sizes
- Internal lining of hot melt adhesive provides environmental seal
- Visual correct shrinkage indication
- Suitable for use with branch sealing clips

More products in this product group

12mm Recov. \emptyset d max. Heatshrink Sleeving >

Base Data

Content	Heatshrink (x 10) Abrasive Strips (x 10) Aluminium Foil (100 x 130mm) (x10) Isopropyl Alcohol Wipes (x 20)
---------	---

Description	Heatshrink Sleeving
-------------	---------------------

GLOBAL PART DESCRIPTION	HS1903
-------------------------	--------

You can easily accept or reject the cookies on this site by choosing one of the following links: [I accept cookies](#)

Package Quantity per	Bag
----------------------	-----

[I refuse cookies](#) - [Privacy statement](#)

Contact 

Port	S, T
Product Family	Heatshrink Sleeving
Product Group	12mm Recov. Ø d max. Heatshrink Sleeving
Technical Description	The HellermannTyton range of heatshrink kits are crosslinked polyolefin with an internal lining of hot melt adhesive. The heatshrink sleeve has a coating of thermochromatic paint, which changes colour when the optimum temperature for shrinkage is achieved. The hot melt adhesive lining provides an environmental seal around the cable and port entry.
Type	HS1903

Product Dimensions

Length (L)	180 mm
Recov. Ø d	12 mm
Supplied Ø D	45 mm

Material and Specifications

Logistics and Packaging

More Information

ETIM 6.0	EC000217
----------	----------

Similar products

HS1899

857-40142

6mm Recov. Ø d max. Heatshrink Sleeving

HS1900

857-40143

6mm Recov. Ø d max. Heatshrink Sleeving

HS1902

857-40145

12mm Recov. Ø d max. Heatshrink Sleeving

You can easily accept or reject the cookies on this site by choosing one of the following links: [I accept cookies](#)

[I refuse cookies](#) - [Privacy statement](#)

HS1910*

HS1911*

HS1908*

Contact 

9/4/2018	12mm Recov. Ø d max. Heatshrink Sleeving HS1903 (857-40146) HellermannTyton	
857-40318	857-40319	857-40316
16mm Recov. Ø d max. Heatshrink Sleeving	16mm Recov. Ø d max. Heatshrink Sleeving	16mm Recov. Ø d max. Heatshrink Sleeving

Show all ▾

Update: 01/09/2018

© HellermannTyton 2018

You can easily accept or reject the cookies on this site by choosing one of the following links: [I accept cookies](#)

[I refuse cookies](#) - [Privacy statement](#)

Contact 