



Technical data

- Material: uPVC
 - 3m lengths
 - Colour: white
 - BS 4678 Pt.4
 - Range of sizes from 50 x 50mm to 150 x 150mm
 - Designed for rapid installation
 - Installation simplified by a wide range of fittings
 - Heavy duty construction – to BS 4678 Part 4
- Note:** please see page 124 for details relating to thermal expansion



Trunking assemblies

Ref	Size (W x D)	Packed
TRK50W	50 x 50mm	18m
TRK501W	75 x 50mm	12m
TRK502W	100 x 50mm	12m
TRK503W	150 x 50mm	6m
TRK75W	75 x 75mm	12m
TRK100W	100 x 100mm	6m
TRK150W	150 x 150mm	3m

Divider

Lengths 1.5m

Ref	Size	Packed
DIV50	50mm	30m

Standard modular arrangements assembled to order

Fittings for these arrangements on request.

TRK fittings – popular fittings are supplied as Patented Moulded (M) units (patent No. 2205200 for which couplings are not required. Other fittings are Fabricated (F) and come complete with couplings.

Technical data

■ Colour: white



Flat angles (M)

Ref	For trunking size	Packed
FAU50W	50 x 50mm	1
FAU501W	75 x 50mm	1

Flat angles (F)

Ref	For trunking size	Packed
FAU502W	100 x 50mm	1
FAU503W	150 x 50mm	1
FAU75W	75 x 75mm	1
FAU100W	100 x 100mm	1
FAU150W	150 x 150mm	1

Internal angles (M)

Ref	For trunking size	Packed
IAU50W	50 x 50mm	1
IAU501W	75 x 50mm	1
IAU75W	75 x 75mm	1

Internal angles (F)

Ref	For trunking size	Packed
IAU502W	100 x 50mm	1
IAU503W	150 x 50mm	1
IAU100W	100 x 100mm	1
IAU150W	150 x 150mm	1

External angles (M)

Ref	For trunking size	Packed
XAU50W	50 x 50mm	1
XAU501W	75 x 50mm	1
XAU75W	75 x 75mm	1

Note: The internal cover of XAU 501W is radiused.

External angles (F)

Ref	For trunking size	Packed
XAU502W	100 x 50mm	1
XAU503W	150 x 50mm	1
XAU100W	100 x 100mm	1
XAU150W	150 x 150mm	1


Flat tees (M)

Ref	For trunking size	Packed
FTU50W	50 x 50mm	1
FTU501W	75 x 50mm	1

Flat tees (F)

Ref	For trunking size	Packed
FTU502W	100 x 50mm	1
FTU503W	150 x 50mm	1
FTU75W	75 x 75mm	1
FTU100W	100 x 100mm	1
FTU150W	150 x 150mm	1

Internal and external tees are available to special order. Please contact us for further details.



Cable retainers

Ref	For trunking size	Packed
RET50W	50 x 50mm	10
RET501W	75 x 50mm	10
RET75W	75 x 75mm	10

Socket outlet units

Ref	Size	Packed
SSU1W	1 gang	10
SSU2W	2 gang	10

For use with 100mm trunking only TRK100W + TRK502W

Internal couplings

Supplied in pairs, self adhesive.

Ref	For trunking size	Packed
IC50W	50mm deep	10
IC75W	75mm deep	10
IC100W	100mm deep	10
IC150W	150mm deep	10

External couplings – self adhesive

Ref	For trunking size	Packed
EXC50W	50 x 50mm	1
EXC501W	75 x 50mm	1
EXC502W	100 x 50mm	1
EXC503W	150 x 50mm	1
EXC75W	75 x 75mm	1
EXC100W	100 x 100mm	1
EXC150W	150 x 150mm	1

Flanged couplings

Ref	For trunking size	Packed
FC50W	50 x 50mm	1
FC501W	75 x 50mm	1
FC502W	100 x 50mm	1
FC503W	150 x 50mm	1
FC75W	75 x 75mm	1
FC100W	100 x 100mm	1

Stop ends

Ref	For trunking size	Packed
TSE50W	50 x 50mm	5
TSE501W	75 x 50mm	5
TSE502W	100 x 50mm	5
TSE503W	150 x 50mm	1
TSE75W	75 x 75mm	5
TSE100W	100 x 100mm	1
TSE150W	150 x 150mm	1